



Snug as a bug

Evaluating thermoregulation capabilities of newborn hybrid incubators based on technology, testing and track record



Third Party Studies and Publications Related to Giraffe OmniBed Have Stated:



“Using the Giraffe OmniBed with environmental humidification appears to deliver improvements of at least 15% in clinical outcomes such as body temperature, growth velocity, ventilator use, chronic lung disease, weight stabilization, and electrolyte balance.”

- Oxford Analytica healthymagination validation citing data from Bringham Women's NICU study of traditional and hybrid incubators.⁸



“Provides thermal and physiological stability across bed states which may help to reduce the risk of infant stress as a result of bed transitions between open and closed bed modes.”

- An Evaluation of a New Device in Maintaining Thermal and Physiological Homeostasis in Human Newborns⁷



“Resulted in an average temperature of 0.49°C higher than infants transported with conventional transport incubators.”

- Risk Factors for Intra-hospital Transport of Newborn Patients: A New Solution to an Old Problem⁹

From birth to discharge, maintaining stable thermoregulation is a critical stage in a baby's journey. Temperature changes in newborns happen easily because newborns regulate heat much less efficiently than adults and lose heat more readily. The smaller and more premature the baby, the greater the risk. Also, the wet newborn starts losing heat immediately after birth and unless heat loss is prevented, hypothermia will develop.¹

And it doesn't take much heat loss to create cause for concern in newborns. According to the World Health Organization (WHO), there is cause for concern if the baby's temperature drops below 36.5°C (97.7°F).¹ With the advanced healthcare available today in much of the world, it may seem hard to believe that hypothermia in newborns is a real issue. However, hypothermia of the newborn occurs throughout the world, in all climates and is more common than believed.¹ For example, in 2007, data showed that across the US, the percentage of babies with admission temperatures below 36°C was approaching 50%.² Recently published Vermont Oxford data states that from 2009 to 2016, rates of admission temperatures <36.5°C decreased from 52.6% to 38.2%. However, despite the decrease, about 4 out of 10 infants are still cold when admitted to the NICU.³

Why infant heat loss is a concern

Beyond hypothermia, there are additional reasons to minimize heat loss in newborns, particularly in the case of the extremely low gestational age neonate (ELGAN). For newborns delivered between 24 to 29 weeks gestational age, for each 1°C decrease in admission temperature, late-onset sepsis is increased by 11%, decreasing their chance of survival by up to 28%.⁴

It has been shown that strategies to prevent heat loss during the Golden Hour (the first hour after birth) can significantly improve mortality and morbidity for the ELGAN.²

How newborns lose heat

Before delving into ways to prevent heat loss during that first hour outside the womb, it's important to understand how babies lose heat. Newborns lose heat in four ways after they are born. One is through *evaporation* of amniotic fluid from the baby's body. Evaporation accounts for

60% of heat loss in preterm infants during the first week of life⁵. Evaporative heat loss is inversely related to gestational age, therefore the lower the gestational age the higher the evaporative loss is. *Convection*, the second major mode of heat loss in both term and preterm infants⁵ occurs if the naked baby is exposed to cooler surrounding air. Loss of heat can also occur by *conduction* if the baby is placed on a cold surface. And *radiation* can come into play, from the baby to cooler objects, even if the baby is not actually touching them.

While that sounds like a great deal of variables to take into account, heat regulation in newborns can get more complex. Heat balance is important for all newborns, but with ELGAN, macroenvironmental factors such as ambient air temperature, air velocity, and relative humidity become critically important. For the ELGAN in the first days to weeks, heat balance is achieved by maintaining skin integrity, decreasing insensible and transepidermal water loss and minimizing energy expenditures all of which can be achieved by the use of humidity.

And this is probably a good place to interject another newborn thermal stressor. In trying to keep babies warm, it's important to make sure they do not become overheated. The variables above can work in reverse and result in hyperthermia.¹ Of course, this leads to the question, with so many variables, is it possible to manage both the microenvironment and the macroenvironment and keep the baby at optimal temperature?

Managing the Microenvironment – Walls and All

It is possible to manage the infant's microenvironment, and one common way of doing it is with the incubator or a hybrid thermal device. The objective of these devices is to provide a clean, warm environment, where the temperature and humidity can be controlled. While some of these devices are equipped with convective heaters, radiant warmers and may include a heated mattress, it is important to make sure the device being used has wall insulation. Proper wall insulation works to decrease convective heat loss and provide thermal stability required for the growth of newborns.

Table A

Variable	Radiant (R)	Transition R-C	Convection (C)	Transition C-R
Mean Skin Temperature (degree C)	36.7	36.5	36.5	36.4
Mean Heart Rate (BPM)	138	136	140	129
Mean Respiratory Rate (RR)	44	41	45	46
Mean Blood Pressure (mmHg)	38	35	39	37
Mean SpO ₂ (%)	98	98	96	97

M. Gaylord, L. Mefford, J. Stafano, K. Leef, L. Lynam. "An Evaluation of a New Device in Maintaining Thermal and Physiological Homeostasis in Human Newborns". Poster Presentation; National Association of Neonatal Nurses 2001.

Design/Methods: A convenience sample of 40 of the original sample of 77 sick newborns (mean gestational age = 29.4 + 4.0 weeks, BW = 1505.2 + 922.4 grams) were admitted onto the Ohmeda Medical Giraffe OmniBed during the first 24 hours after birth. All infants were admitted into the bed in warmer configuration and were enclosed into incubator environment on the first day of life. After initial closure, the OmniBed was opened an average of 2.85 times/24 hours for 12 minutes/opening. Skin temperature, device set temperature, device air temperature, device heater power, and physiological parameters were monitored before, during, and after transitions.

Results: A repeated-measures MANOVA was performed on temperature and physiological measures. There were no differences found in mean skin temperature among the four test conditions (radiant, transition R to C, convection, transition C to R). Mean heart rate, respiratory rate, blood pressure, and oxygen saturation were not statistically different among the four test conditions. Conclusion: There were no significant differences in skin temperature or physiologic stability across bed conditions. These data suggest that the Ohmeda Medical Giraffe OmniBed provides thermal and physiological stability across bed states minimizing the risk of infant stress as a result of bed transitions between open and closed bed modes.

The Giraffe OmniBed is a richly-featured neonatal microenvironment that combines the thermal advantages of a double walled incubator with the access advantages of an open bed radiant warmer. The open bed warmer uses an advanced, patented heating algorithm to cascade heat and minimize temperature swings. It provides Comfort Zone thermal⁶ guidance for setting and activating the desired admission air temperature.

After noting the ways newborns can lose heat, it seems confounding that an incubator can preserve the thermal environment when the door is being opened and closed. How is this possible? The Giraffe OmniBed features Air Boost technology that works to maintain and sustain the appropriate level of heat to the infant during open door procedures. Air Boost is activated when doors are opened by the caregiver or technically activated upon start up or closing of the hood.

Testing in open, closed and transition modes

A GE internal study, in collaboration with University of Tennessee and Christiana Care Health Care, concluded that the Giraffe OmniBed can provide a stable and supportive macroenvironment for newborn growth and development. In the study, data was captured on 77 NICU babies admitted to the Giraffe OmniBed for the first 24 hours after birth. Data was captured in

Open mode (radiant warmer), Closed mode (incubator) and transition conditions from Open to Closed Care as well as Closed to Open Care. The study's objective was to describe thermal and physiological responses of newborns admitted to the Giraffe OmniBed. No significant changes in the vital parameters of the newborns were observed during the transitions⁷. Vital parameters recorded included Respiratory Rate, Heart Rate, SPO₂, Blood Pressure, and Skin Temperature.

The same study was presented at the Neonatal Nurses Association in 2001, demonstrating the Giraffe Omnibed was opened an average of 2.85 times every 24 hours for 12 minutes per opening. During these periods, there were no significant differences identified in skin temperature or physiologic stability across bed conditions (See Table A). The study concluded that the Giraffe OmniBed provides thermal and physiological stability across bed states which may help to reduce the risk of infant stress as a result of bed transitions between open and closed bed modes.⁷

Minimizing transfers with one solution

Earlier in this article, conduction, evaporation, radiation and convection were listed as ways that babies can lose heat. Of course, these factors come into play when infants are transferred from one bed surface to

another (e.g. radiant warmer to a scale, then to a transport incubator, to an incubator). Because body temperature and physiologic stability of the infant can be compromised during transfers, it's important especially in the care of ELGAN, to keep bed transfers to a minimum.

Minimizing transfers is another great advantage of the Giraffe OmniBed. From the delivery room to the NICU, and everywhere in between, the combination of the Giraffe OmniBed and the Giraffe™ Shuttle™ provides One Baby, One Bed, One Solution. The solution enhances the continuity of care by eliminating bed transfers and providing the power necessary for thermal and physiologic stability during intrahospital transport.

In 2012, the Giraffe Omnibed and Giraffe Shuttle were awarded healthymagination validation on Access and Quality by Oxford Analytica and its external independent experts. The validation was based on data from a Brigham Women's study of the use of incubators in the NICU. Oxford Analytica stated that when caring for low birth weight infants, the Giraffe Omnibed, combined with the Giraffe Shuttle has the potential to improve by 15% the continuity of care, thermoregulation and physiological stability.⁸

The Giraffe OmniBed delivers

Every technological component of the Giraffe OmniBed was crafted to meet the

Table B

Characteristic (Range)	Traditional Transport (N=50)	Giraffe OmniBed Transport (N=50)
Total Transport Time (minutes, m)	56.3 m (Preterms)	42.7 m (Preterms)*
Team to DR; Returns with Baby	62.1 m (Others)	46.8 m (Others)*
Birth to NICU Admission Time (minutes, m)	33.9 m (Preterms)	25.3 m (Preterms)*
	29.1 m (Others)	27.7 m (Others)*
Admission Rectal Temperature (range)	36.22 C (35.1-36.3 C)	36.71 C* (36.2-37.3 C)

*p<0.0001, Welch-Satterthwaite t-test

9. F. Loersch, M Schindler, K. Starr of GE Healthcare, J. Moore, L Lynam Bayne. "Risk Factors for intra-hospital transport of newborn patients: A new solution to an old problem". Journal of Neonatal Nursing (2011) 17, 203-214

In summary: Use of the Giraffe OmniBed for stabilization, intrahospital transport, and NICU admission resulted in an average admission rectal temperature that was 0.49 C higher in the Giraffe OmniBed group compared to the conventional transport incubator control group.

infant’s needs, and when put to the test, these components deliver. Consider a study published by F. Loersch, University Children Hospital Mannheim, Germany which documented the newborn journey from birth to NICU.⁹ The study concluded that the use of the Giraffe OmniBed for intrahospital transport resulted in an average temperature of 0.49°C higher than infants transported with conventional transport incubators. In addition to higher admission temperatures, the data also showed that total transport time from labor and delivery to the NICU was less than 43 minutes with the Giraffe OmniBed vs. 56 minutes using conventional methods.⁹ (See Table B).

The Giraffe OmniBed also includes a servo humidity system. As stated earlier humidification has been shown to be very important in infant care. Citing the Brigham and Women’s Hospital study, an Oxford Analytica analyst further concluded that using the Giraffe OmniBed with

environmental humidification during the first weeks of life, appears to deliver “improvements of at least 15% in clinical outcomes such as body temperature, growth velocity, ventilator use, chronic lung disease, weight stabilization, and electrolyte balance.”⁸

In addition, the study went on to conclude that using the Giraffe OmniBed with high humidity, showed “improved care for ELWB infants by making it possible to decrease fluid intake, improve electrolyte balance, and enhance growth velocity without disturbance of body temperature compared with conventional care.”⁸

Consider technology, transfers and track record

Although there has been a recent surge of new infant incubators in the market claiming to provide better thermoregulation measures for newborns, it’s important to evaluate incubators based

on three criteria: technology, transfers and track record. Relating to technology, the Giraffe OmniBed features double wall insulation, a patented heating algorithm, a servo humidity system, and air boost technology to help maintain temperatures in open, closed and transition modes. Regarding transfers, the combination of the Giraffe OmniBed and the Giraffe™ Shuttle™ provides One Baby, One Bed, One Solution to help eliminate transfers.

And finally, we arrive at track record. Since 2000, the Giraffe OmniBed has been helping babies and families go home healthy. Today, over 40,000 Giraffe OmniBed’s are being used across thousands of hospitals, in over 131 countries. More importantly, the oldest surviving children, who lived their first hours to months in a Giraffe OmniBed are now 16 and 17 years old. They are young adults, planning for college and potential careers. This proud history is something new hybrid incubators can only hope to one day achieve.

Imagination at work

©2018 General Electric Company – All rights reserved.

General Electric Company reserves the right to make changes in specifications and features shown herein, or discontinue the product described at any time without notice or obligation. This does not constitute a representation or warranty or documentation regarding the product or service featured. The results expressed in this document may not be applicable to a particular site or installation and individual results may vary. This document and its contents are provided to you for informational purposes only and do not constitute a representation, warranty or performance guarantee from GE Healthcare.

The latest OmniBed product is the Giraffe OmniBed Carestation. It includes the same trusted technology as the OmniBed, in addition to other enhancements.

GE, the GE Monogram, and imagination at work are trademarks of General Electric Company.

GE Healthcare, a division of General Electric Company.

JB54922XX

¹ Maternal and Newborn Health/Safe Motherhood Unit, Division of Reproductive Health, World Health Organization 1997 Thermal Protection of the Newborn: a practical guide Retrieved from WHO_RHT_MSM_97.2.pdf.

² Lupton, A. R. et al. Pediatrics 2007; 119:e643-e649

³ Edwards, E. (2017) NICU By Numbers: Despite Decreases, Nearly 4 in 10 Infants Are Cold When Admitted to the NICU. Retrieved from https://public.vtoxford.org/wp-content/uploads/2017/09/NICU-by-the-Numbers_4-in-10-Infants-are-Cold.pdf

⁴ Knobel, R. (2007). Thermoregulation and heat loss prevention after birth and during neonatal intensive-care unit stabilization of extremely low-birth weight infants. JOGNN, May-Jun, 36, (3), 280-7.

⁵ “Transepidermal Water Loss in Newborn Infants: Relationship to Gestational Age” by K. Hammarlund, G. Sedin (1979). Acta Paediatrica Scandanavica, 68, pp. 795-801. Reprinted by permission.

⁶ Influence of variations in the ambient humidity on insensible water loss and thermoneutral environment of low birth weight infants. 1984 Sauer PJ, Dane HJ, Visser HK

⁷ M. Gaylord, L. Mefford, J. Stafano, K. Leef, L. Lynam. “An Evaluation of a New Device in Maintaining Thermal and Physiological Homeostasis in Human Newborns”. NANN, 2001

⁸ Kim SM et al. Improved care and growth outcomes by using hybrid humidified incubators in very preterm infant. Pediatrics 125(1), 137-145, 2010

⁹ F. Loersch, M Schindler, K. Starr of GE Healthcare, J. Moore, L Lynam Bayne. "Risk Factors for intra-hospital transport of newborn patients: A new solution to an old problem". Journal of Neonatal Nursing (2011) 17, 203-214